


测温枪类




型号:12080 尺寸: $\phi 12$
焦距:8mm 感应距离:10m
感应角度: 35°



型号:13250 尺寸: $\phi 13$
焦距: 25mm 感应角度: 8°
感应距离: 15m



型号:1620 尺寸: $\phi 16.8$
焦距:20mm 感应距离: 20m
感应角度: 10°



型号:1719 尺寸: $\phi 16.8$
焦距:19mm 感应角度: 10°
感应距离: 20m



型号:20200 焦距: 20mm
尺寸: $\phi 20$ 感应角度: 10°
感应距离: 20m



型号:20360 焦距:36mm
尺寸: $\phi 20$ 感应角度: 6°
感应距离: 22m




型号:22200 焦距: 20mm
尺寸: $\phi 22$ 感应角度: 30°
感应距离: 22m



型号:25400 焦距:40mm
尺寸: $\phi 25$ 感应角度: 6°
感应距离: 25m

壁挂片模



型号:2220-251 焦距:24mm
尺寸: $\phi 22$ 感应角度: 50°
感应距离: 16m




型号:22203 焦距:20mm
尺寸: $\phi 22$ 感应角度: 45°
感应距离: 15m




型号:2218 焦距:18mm
尺寸: $\phi 22$ 感应角度: 45°
感应距离: 20m




型号:2224-03 焦距: 20mm
尺寸: $\phi 21.9$ 感应角度: 55°
感应距离: 16m



型号:YY-2308 焦距:7.6mm
尺寸:8.6*23.5 感应距离:7m
感应角度: 120°




型号:YY-2312 焦距: 10mm
尺寸:12*23.5 感应角度: 80°
感应距离: 10m




型号:YY-1022 焦距:10mm
尺寸:22*10 感应角度: 80°
感应距离: 10m



型号:YY-3925-20 焦距:20mm
尺寸:39*24.8 感应角度: 35°
感应距离: 16.5m




型号:SB2512 尺寸:25.5*12.5
焦距:11mm 感应距离:11m
感应角度: 100°




型号: YY5528 焦距:25mm
尺寸: 55*28.8 感应距离:16m
感应角度: 140°




型号:7707-3A 感应距离:16m
尺寸:77.4*36.2 焦距:25mm
感应角度: 180°



型号:7803-1 焦距:20mm
尺寸:39*25 感应距离:9m
感应角度: 80°



型号: 7805-1 焦距: 22mm
尺寸: 57*36 感应距离:10m
感应角度: 100 °



型号:7809-5 焦距: 25mm
尺寸:43.3*24.5 感应角度:80°
感应距离: 10m



型号: 8719-A 焦距: 25mm
尺寸: 53.5*31 感应角度:90°
感应距离: 10m



型号: BV-100DP 焦距: 30mm
尺寸:43.2*19.7 感应角度:15°
感应距离: 12m



型号: SIR 650 焦距:30mm
尺寸: 46*20 感应距离:12m
感应角度: 15 °



型号: YY-AA-V1 尺寸:42.6*61
焦距:30.5mm 感应距离:15m
感应角度: 155°



型号: YY-EWA-V2 焦距:30.5mm
尺寸: 42.6*61 感应距离: 15m
感应角度: 140°



型号:YY-LR-V2 焦距:30.5mm
尺寸:42.6*61 感应距离:28m
感应角度: 154°



型号:YY-EWA-V3 尺寸:42.6*61
焦距: 30.5mm 感应角度:140°
感应距离:15m



型号: YY-DWA-V2 感应距离:9m
尺寸:42.6*61 焦距: 30.5mm
感应角度: 101°



型号:YY-3468
尺寸:34*68 感应角度:150°
焦距:25mm 感应距离:15m



型号:YY-6531
尺寸:63.3*51.15 焦距:25mm
感应角度:120° 感应距离:≥10m



型号:YY-DWA-V1
焦距:30.5mm 感应距离:10M
尺寸:42.6*61 感应角度:101°



型号:YY-AA-12-V1
尺寸:42.6*61 感应角度:100°
焦距:30.5mm 感应距离:12m



型号: YY-7526-25
尺寸: 74.82*25.7 焦距:25mm
感应角度:180° 感应距离:18m



型号:8202-1 感应角度:120°
尺寸:38.2*21.5
焦距:16mm 感应距离:12m



型号:8526-1 感应距离:14m
尺寸:84.7*25.6 焦距:23mm
感应角度:120°



型号:7703-1
尺寸:61*42.7 感应角度:83°
焦距:30.5mm 感应距离:15m



型号:7809-2 焦距:25mm
感应角度:100° 感应距离:12m
尺寸:56.3*43.7



型号:YY-6034-30 尺寸:60*34
焦距:30mm 感应角度:90°
感应距离:20m



型号:SIR 650P 焦距:30mm
尺寸:59.5*39 感应角度:90°
感应距离:12m



型号:7708-1 焦距:29.7mm
感应角度:90° 感应距离:10m
尺寸:57.3*44.6



型号:7708-3 焦距:29.7mm
尺寸:58*45 感应角度:80°
感应距离:14m



型号:7704-3 感应距离:12m
焦距:23mm 感应角度:110°
尺寸:56.7*35.7



型号:8719
尺寸:53.5*34 感应角度:90°
焦距:25mm 感应距离:10m



型号:8203-1
尺寸:56*44 感应角度:110°
焦距:25mm 感应距离:12m



型号:614230
尺寸:60.7*42.4 感应角度:90°
焦距:30.5mm 感应距离:12m



型号:8501-2G
尺寸:76*36 感应角度:120°
焦距:21mm 感应距离:12m



型号:7707-1A
尺寸:91.3*39.5 感应角度:180°
焦距:25mm 感应距离:16m



型号:8202
尺寸:62.5*25 感应角度:120°
焦距:16mm 感应距离:12m



型号:7707-5A
尺寸:73.8*26.2 感应角度:150°
焦距:25mm 感应距离:20m



型号:5430
尺寸:54*30 感应角度:120°
焦距:23mm 感应距离:15m




型号:7707-B 感应角度:180°
焦距:25mm 感应距离:16m
尺寸:39.5*85.3



型号:7707 感应角度:180°
焦距:25mm 感应距离:16m
尺寸:91.3*39.5



型号:WL-NK-04
尺寸:54*25 感应角度:120°
焦距:12mm 感应距离:8m



型号:86000
尺寸:41.7*60 感应角度:90°
焦距:30mm 感应距离:15m



型号:LD-002 感应角度:270°
焦距:25mm 感应距离:15m
尺寸:44.65*151.3




型号:AF-2430 焦距:30mm
尺寸:116.5*38 感应距离:20m
感应角度:180° 2 颗 PIR



型号:8501-5
尺寸:76*36.2 感应角度:120°
焦距:20mm 感应距离:10m



型号:GB-01-3640
尺寸:Ø40 感应角度:90°
焦距:12mm 感应距离:16m



型号:YY-6434
尺寸:34*64 感应角度:160°
焦距:20mm 感应距离:22m



型号:YY-3468
尺寸:68*34 感应角度:150°
焦距:25mm 感应距离:15m



型号:YY-6034-30
尺寸:34*60 感应角度:90°
焦距:30mm 感应距离:20m



型号:YY-180
尺寸:39*90 感应角度:180°
焦距:25.7mm 感应距离:20m

壁挂≤1.5m(门铃、小夜灯类)



型号:008140 焦距:5.5mm
感应角度:90° 感应距离:4m
尺寸:Φ 13.2*5.5



型号:008140-G 焦距:5.5mm
感应角度:90° 感应距离:4m
尺寸:13.2*10*5.5



型号:13120
尺寸:Φ 13.5*9.4 焦距:6mm
感应角度:120° 感应距离:6m



型号:13120F-2
尺寸:Φ 12.5*10.6 焦距:6mm
感应角度:120° 感应距离:6m



型号:13120F 感应角度:120°
焦距:6mm 感应距离:5-6m
尺寸:Φ 14*10.4



型号:011050
焦距:5mm 尺寸:Φ 11.8*9.9
感应角度:120° 感应距离:5-6m



型号:8120-1 感应距离:2m
焦距:6mm 感应角度:120°
尺寸:Φ 13.1*7.2



型号:N0803-32
尺寸:Φ 16*6 感应距离:5m
焦距:6mm 感应角度:120°



型号:8006 感应角度:120°
焦距:4mm 感应距离:5m
尺寸:10.9*7.14



型号:011050-G
焦距:5mm 尺寸:Φ 11.8*9.73
感应角度:120° 感应距离:5-6m




型号:8120-2
尺寸:Φ 10.1*9 感应角度:90°
焦距:5.2mm 感应距离:5m



型号: 8307-2 焦距: 8mm
感应角度:70° 感应距离:6m
尺寸:18.7*18.7*4




型号:13120F-4
尺寸:Φ 14.2 感应角度:120°
焦距:6mm 感应距离:6m




型号:YY-1102
尺寸:Φ 14 感应角度:130°
焦距:6mm 感应距离:6m



型号:YY-4900
尺寸:29*16 感应角度: 110°
焦距:8mm 感应距离: 7m



型号:YY-2308
尺寸:8.6*23.5 感应角度:120°
焦距:7.6mm 感应距离:7M



型号:YY-2312
尺寸:12*23.5 感应角度:80°
焦距:10mm 感应距离:10m



型号:YY-1022
尺寸:22*10 感应角度:80°
焦距:10mm 感应距离:10m



型号:YY-0709
尺寸:9*11 感应角度:100°
焦距:6mm 感应距离:5M



型号:YY-2230 焦距:6mm
感应角度: 120° 感应距离: 5m
尺寸:29.74*20.39



型号:8308-8G
尺寸:10.4*9.5 感应角度:40°
焦距:4mm 感应距离:5m



型号:SB2512
尺寸:25.5*12.5 感应角度:100°
焦距:11mm 感应距离: 11m



型号:13120F-3
尺寸:Φ 14*10.4 感应角度:120°
焦距:6mm 感应距离:8m




型号:N0803-32-4
尺寸:Φ 15.7*7.81 感应角度:120°
焦距:6mm 感应距离:6m



型号:13120F-5 焦距:6mm
感应角度:120° 感应距离:7m
尺寸:Φ 13.7*6.6



型号:8308-7
尺寸:12.8*14 感应角度:90°
焦距:7.5mm 感应距离:7m



型号: 2136-1 焦距: 7.5mm
尺寸:23.8*16.3*13.1
感应角度:120° 感应距离:5m



型号:2134-1 焦距:7.5mm
感应角度:120° 感应距离:5m
尺寸: 26.8*15*17.1



型号:2135-1 感应角度:120°
焦距:7.5mm 感应距离:6m
尺寸:25*15*17



型号:AL23 感应距离:7-10m
尺寸:34.5*20*10.5 焦距:20mm
感应角度:水平 120°



型号:8308-6 焦距:9.6mm
感应角度:90° 感应距离:8m
尺寸:13.6*15.5




型号:8308-2 感应距离:5m
焦距:6mm 感应角度:60°
尺寸:Φ11.5*14.5



型号:8121-2
尺寸:Φ9.8 感应角度:120°
焦距:5.2mm 感应距离:9m



型号:8121-5
尺寸:Φ9.8 感应角度:120°
焦距:5.2mm 感应距离:8m



型号:YY-788
尺寸:7.8*5.2 感应角度:90°
焦距:1.75mm 感应距离:4m



型号:LQ-01 感应角度:90°
焦距:4mm 感应距离:2-3m
尺寸:Φ15.57*8.45



型号:SB-3611 焦距:7mm
感应角度:120° 感应距离:6m
尺寸:35.3*10.7



型号:YY-1010
尺寸:12*12*2.3 感应距离:2m
焦距:5mm 感应角度:100°



型号:ZMD-2211
尺寸:22*11*3.9 焦距:4mm
感应角度:90° 感应距离:5m



型号:HG2408
尺寸:26*2.6 感应距离:7m
焦距:6mm 感应角度:100°



型号:YY-1608
尺寸:Φ17.5 感应角度:120°
焦距:7mm 感应距离:6m



型号:MD-3911 焦距:10mm
尺寸:38.56*10.1*9056
感应角度:120° 感应距离:8m



型号:ZMD-3615-9 焦距:5.7mm
感应角度:120° 感应距离:7m
尺寸:35.8*14.8*8.3



型号:8120-11
尺寸:Φ9.6*8.1 感应角度:90°
焦距:3.4mm 感应距离:5m



型号:ZMD-136 3 颗 PIR
尺寸:59.2*27*8.8 焦距:8mm
感应角度:150° 感应距离:8m



型号:5526-21 感应距离:10m
焦距:21mm 感应角度:120°
尺寸:55*26.4*28.7



型号:ZW-01 感应距离:3.5m
焦距:4mm 感应角度:120°
尺寸:13.4*6.94



型号:8120-10 焦距:5.2mm
尺寸:Φ9.91*6.3 感应距离:5m
感应角度:120°



型号:PN-08-4G 焦距:4mm
尺寸:15.21*14.95*5.48
感应角度:90° 感应距离:3m



型号:8003-4 焦距:10mm
尺寸: ϕ 23.2*18.8
感应角度:120° 感应距离:10m



型号:LC-2818 焦距:13mm
尺寸:31.3*27.7*19.9
感应角度:120° 感应距离:10m



型号:ZMD-2020-8
尺寸: ϕ 20*9.2 感应距离:5m
焦距:5mm 感应角度:120°



型号:A-17615 感应距离:12m
尺寸:18.5*17.6*3.7
感应角度:30° 焦距:15mm



型号:ZMD-155 焦距:8mm
尺寸:33.05*17.45*4.5
感应角度:100° 感应距离:10m



型号:YY-0926
尺寸: ϕ 17 感应角度:90°
焦距:9mm 感应距离:6m



型号:LTX-01 焦距:12.7mm
尺寸: ϕ 33.05*9.75
感应角度:120° 感应距离:5m



型号:YY-2517 感应距离:8m
尺寸:24.7*15*6.6
焦距:12mm 感应角度:120°



型号:XH-01 感应距离:2m
尺寸:5.56*2.5
焦距:2mm 感应角度:90°



型号:YY-8007
尺寸: ϕ 10 感应角度:120°
焦距:4.5mm 感应距离:3-4m




型号:XH-02 感应角度:60°
尺寸:5.58*2.63
焦距:2mm 感应距离:2.5m



型号:YY-2311 感应距离:10m
尺寸: ϕ 23.22*12 可防窥
焦距:11mm 感应角度:120°
无纹区朝下放置 1.2m,



型号:YY-1708-W
尺寸: ϕ 17.5 感应角度:110°
焦距:9.5mm 感应距离:9.5m



型号:YY2412 感应距离:6m
尺寸:27*15 焦距:7mm
感应角度:100-110°

壁挂>1.5m(壳类)



型号: 8002-2 感应距离: 10m
尺寸: 23.3*23.3*14.8
焦距: 10.5mm 感应角度: 360°



型号: 024120 感应距离: 12m
尺寸: 23.5*23.5*17.2
焦距: 12mm 感应角度: 120°



型号: 023101 感应距离: 10m
尺寸: Φ 23.4*11.5
焦距: 10.5mm 感应角度: 120°



型号: 8003-2F 感应距离: 12m
尺寸: Φ 25.3*12.5
焦距: 10.5mm 感应角度: 120°



型号: 8002-2W 感应距离: 12m
尺寸: 23.3*23.3*14.7
焦距: 10.5mm 感应角度: 120°




型号: 8002-1(孔) 感应距离: 10m
尺寸: 23.5*23.5*19
焦距: 10.5mm 感应角度: 120°



型号: 023100 感应距离: 10m
尺寸: 23.4*23.4*18.9
焦距: 10.5mm 感应角度: 120°



型号: 028140 感应距离: 10m
尺寸: Φ 28*15
焦距: 15mm 感应角度: 120°



型号: Q23-X-2 感应距离: 10m
尺寸: 23.4*23.4
焦距: 10.5mm 感应角度: 120°




型号: Q23-X-1 感应距离: 10m
尺寸: 23.4*23.4
焦距: 10.5mm 感应角度: 120°



型号: 018090-6-M
尺寸: Φ 18mm 感应距离: 8m
焦距: 9mm 感应角度: 120°



型号: YY-023115-15
尺寸: Φ 26 感应距离: 半径10m
焦距: 11.5mm 感应角度: 120°



型号: YY-1003-45
尺寸: 24*24 感应角度: 120°
焦距: 12mm 感应距离: 10m



型号: YY-3518 感应距离: 10m
尺寸: Φ 39.83*18
焦距: 17.5mm 感应角度: 160°



型号: YY-01 感应距离: 8m
尺寸: Φ 21.3*6.1
焦距: 8mm 感应角度: 120°



型号: YY-1104
尺寸: Φ 27 感应角度: 90°
焦距: 8mm 感应距离: 9m



型号: YY-2737-G 焦距: 10mm
尺寸: 38.29*27.6
感应角度: 110° 感应距离: 12m



型号: HD001-G 焦距: 12mm
尺寸: 33.99*20.2
感应角度: 120° 感应距离: 12m



型号: 7709-12 焦距: 10mm
尺寸: 17.8*13.94
感应角度: 120° 感应距离: 10m



型号: 01809-2 感应距离: 8m
尺寸: 17.8*11.95
焦距: 9mm 感应角度: 120°



型号:8003-2F-X
尺寸:25.5*12.3感应角度:120°
焦距:10.5mm 感应距离:10m




型号:023100去腿焦距:10.5mm
尺寸:23.4*23.4*18.9
感应角度:120°感应距离:10m



型号:YY-3015
尺寸:Φ34*15感应距离:12m
焦距:15mm感应角度:135°



型号:YY-023115-25
尺寸:Φ26*17.2感应距离:10m
焦距:11.5mm感应角度:120°



型号:024120 去腿 焦距:12mm
尺寸:23.5*23.5*17.2
感应角度:120°感应距离:12m



型号:9002-1.7
尺寸:Φ24*20感应角度:360°
焦距:12mm 感应距离:Φ10m



型号:9002-1感应距离:Φ10m
尺寸:Φ24*19.2
焦距:12mm感应角度:360°



型号:NL-02
尺寸:23.3*19感应角度:120°
焦距:11.6mm感应距离:10m



型号:8003-1感应距离:10m
尺寸:Φ22.7*18.6
焦距:10.5mm感应角度:100°



型号:8005-2感应距离:10m
尺寸:Φ23*19.7
焦距:11mm感应角度:120°



型号:7709-1W感应距离:8m
尺寸:Φ21*17.2
焦距:7.6mm感应角度:120°




型号:7709-2
尺寸:Φ17*9感应距离:6m
焦距:6mm感应角度:100°



型号:7709-1感应距离:8m
尺寸:Φ20.7*16.9
焦距:7.6mm感应角度:120°



型号:018090壁挂/吸顶 3m
尺寸:Φ17.8*13.94
焦距:9mm感应角度:360°
感应距离:8m/半径 6m



型号:023115 感应距离:10m
尺寸:Φ26*17.3
焦距:11.5mm感应角度:120°



型号:HD003感应距离:10m
尺寸:32.8*20.5
焦距:10mm感应角度:120°



型号:HD002感应距离:10m
尺寸:33*17.9
焦距:10mm感应角度:120°



型号:1/4球感应距离:15m
尺寸:52.6*31*23.1*29
焦距:30mm感应角度:120°



型号:SB-S19
尺寸:Φ18感应角度:120°
焦距:9mm感应距离:8m



型号:YY-B2010
尺寸:Φ23.4*13感应距离:10m
焦距:10mm 感应角度:120°



型号:YY-2532
尺寸:32*25感应角度:120°
焦距:12mm感应距离:12m



型号:YY-2311
尺寸:Ø12.5 感应角度:120°
焦距:11mm 感应距离:10m



型号:SC-01 (螺纹)
尺寸:Ø30.3*21.1感应距离:8m
焦距:10mm 感应角度:120°



型号:SC-01(复眼)感应距离:8m
尺寸:Ø30.3*21.1
焦距:10mm 感应角度:120°



型号:YY-2100感应距离:10.8m
尺寸:Ø21*11.8
焦距:11mm感应角度:120°



型号:YY-2010-20
尺寸:Ø23.6*7.6感应距离:10m
焦距:10mm 感应角度:120°



型号:YY-3120
尺寸:24*34.6感应角度:60°
焦距:23mm 感应距离:20m

吸顶类



型号:13120F-2感应角度:360°
尺寸:Φ 12.5*10.6 焦距:6mm
感应距离:直径 7m



型号:13120F 感应角度:120°
尺寸:Φ 14*10.4
焦距:6mm 感应距离:5-6m




型号:N0803-32
尺寸:Φ 16*6感应距离:5m
焦距:6mm 感应角度:120°



型号 018090-6-M
尺寸:Φ 18mm感应角度:360°
焦距:9mm感应距离:直径 9m



型号:YY-0926 焦距:9mm
尺寸:Φ 17感应角度:360°
感应距离:直径 6m



型号:HM-CM0.5-7焦距:12.7mm
尺寸:26.75*26.75感应角度:360°
感应距离:直径 14m




型号:YY-1001焦距:6mm
尺寸:Φ 17 感应角度:360°
感应距离:直径 12m



型号:YY-0515 尺寸:Φ 34.3
焦距:19.1mm感应角度:360°
感应距离:直径 12m



型号:YY-D248 焦距:23mm
尺寸:Φ 38.6 感应角度:53°
感应距离:直径12m 高挂12m



型号:YY-W01 焦距:10.6mm
尺寸:25.6*27感应角度:360°
感应距离:直径 8m




型号:DJ-23感应角度:360°
尺寸:Φ 22*8.8 焦距:10mm
感应距离:直径 12m




型号:2915 感应角度:360°
尺寸:28.7*21.7*15 焦距:10mm
感应距离:半径8m



型号:01809-2感应距离:8m
尺寸:17.8*11.95
焦距:9mm感应角度:120°



型号:3517感应距离:10m
尺寸:39.2*17.7 焦距:15mm
感应角度:120°



型号:8605-3G感应直径:12m
尺寸: ϕ 44.5*12.2吸顶 3M
焦距:15mm感应角度:360°




型号:S-23115
尺寸: ϕ 23.4*18.3 焦距:10.5mm
感应角度:360°感应距离:直径10m



型号:8003-4焦距:10mm
尺寸: ϕ 23.2*18.8
感应角度:120°感应距离:10m



型号:YY-6725焦距:20mm
尺寸: ϕ 69.6*71.3
感应角度:360°
感应距离:直径20m



型号:YY-6030感应角度:360°
尺寸: ϕ 63*64.49 焦距:29.8mm
感应距离:直径 16m



型号:YY-1715焦距:6mm
尺寸: ϕ 17 感应角度:360°
感应距离:直径 10m



型号:X-23115-1焦距:10.5mm
尺寸: ϕ 25.5 感应角度:360°
感应距离:直径10m



型号:YY-2120焦距:10mm
尺寸: ϕ 21 感应角度:360°
感应距离:直径10m



型号:018090-LW焦距:9mm
尺寸: ϕ 18.08*13.94
感应角度:140°感应距离:半径8m



型号:8120-5BL
尺寸: ϕ 14.2*6.6 感应角度:360°
焦距:6mm感应距离: ϕ 10m




型号:7709-4感应距离:10m
尺寸: ϕ 23.7*12.9
焦距:11mm感应角度:120°



型号:8003-2F-X
尺寸:25.5*12.3 焦距:10.5mm
感应角度:120°感应距离:10m



型号:023100去腿感应距离:10m
尺寸:23.4*23.4*18.9
焦距:10.5mm感应角度:120°



型号:024120去腿焦距:12mm
尺寸:23.57*23.5*17.2
感应角度:120°感应距离:12m



型号:9002-1.7焦距:12mm
尺寸: ϕ 24*20 感应角度:360°
感应距离: ϕ 10m



型号:9002-1焦距:12mm
尺寸: ϕ 24*19.2 感应角度:360°
感应距离: ϕ 10m



型号:NL-02焦距:11.6mm
尺寸:23.3*19 感应距离:10m
感应角度:120°



型号:8003-1焦距:10.5mm
尺寸: ϕ 22.7*18.6
感应角度:100°感应距离:10m



型号:8005-2感应距离:10m
尺寸:Φ 23*19.7
焦距:11mm 感应角度:120°



型号:2134-1感应距离:5m
尺寸:26.8*15*17.1
焦距:7.5mm 感应角度:120°



型号:2136-1感应距离:6m
尺寸:23.8*16.3*13.1
焦距:7.5mm 感应角度:120°



型号:2135-1感应距离:6m
尺寸:25*15*17
焦距:7.5mm 感应角度:120°




型号:8308-6感应距离:8m
尺寸:13.6*15.5
焦距:9.6mm 感应角度:90°




型号:8308-2 焦距:6mm
尺寸:Φ 11.5*14.5
感应角度:60° 感应距离:5m



型号:018090感应角度:360°
尺寸:Φ 17.8*13.94 焦距:9mm
壁挂/吸顶3m
感应距离:8m / 半径 6m



型号:023115 焦距:11.5mm
尺寸:Φ 26*17.3 感应角度:360°
感应距离:直径 10m



型号:8605-2感应距离:5m
尺寸:Φ 44.5*12.2
焦距:15mm 感应角度:360°



型号:8102-2尺寸:Φ 49*2.6
焦距:15mm 感应角度:360°
吸顶 2.5m 感应距离:直径7m




型号:8102-4感应角度:360°
尺寸:Φ 43.1*4.5
焦距:15mm 吸顶 3M/5M
感应直径:8m/14m




型号:8605-5感应直径:10m
尺寸:Φ 45.7*12.4 吸顶 2.5M
焦距:15mm 感应角度:360°




型号:8605-1感应直径:10m
尺寸:Φ 43*12.4
焦距:15mm 感应角度:360°



型号:8605-3感应角度:100°
尺寸:Φ 44.5*12.2 焦距:15mm
感应距离:直径 12m



型号:8603-6感应角度:360°
尺寸:Φ 45*11 焦距:17.5mm
感应距离:直径 12m



型号:8603-4 感应角度:360°
尺寸:Φ 45*11 焦距:17.5mm
感应距离:直径 12m



型号:8604-5 感应半径:7m
尺寸:Φ 52.5*7.9 吸顶 2.5M
焦距:18mm 感应角度:360°




型号:8603-3尺寸:Φ 45.9*11.4
焦距:17.5mm 感应角度:360°
感应距离:直径 10m



型号:8605-3W 焦距:15mm
尺寸:Φ 43.6*11.4 吸顶 2.5M
感应角度:360° 感应直径:10m



型号:8605-2B 感应距离:Φ 10m
尺寸:Φ 45.7*11.5
焦距:15mm 感应角度:360°



型号:8603-4A 尺寸: $\varnothing$ 35.6*11
焦距:17.5mm感应角度: 360°
感应距离: 直径 12m



型号:Q10050感应直径: 12m
尺寸: $\varnothing$ 100*58吸顶 3M
焦距:50mm感应角度: 360°




型号: 四联探头感应角度: 360°
尺寸: 76.6*76.6*33.8吸顶 8M
焦距: 30mm感应距离: 半径 19m



型号:Q70感应角度: 360°
尺寸: $\varnothing$ 70*35焦距: 35mm
感应距离: 直径 10m吸顶 3.5M



型号:8121-4焦距:5.2mm
尺寸: $\varnothing$ 9.8感应角度: 360°
感应距离: 半径 4.5m



型号:8121-3焦距:5.2mm
尺寸: $\varnothing$ 9.8感应角度: 360°
感应距离: 半径 2.5m



型号:YY-5316-F 尺寸: $\varnothing$ 53*11.6
焦距:20mm感应角度: 360°
感应距离: 直径 12m吸顶 6m



型号:YY-5316-L 尺寸: $\varnothing$ 53*10.8
焦距:18mm感应角度: 360°
感应距离: 直径 12m吸顶 8m



型号:TZ-9812焦距:6.5mm
尺寸: $\varnothing$ 14*11.1感应角度: 360°
感应距离: 直径 9m



型号:HF-4 尺寸: 80.2*80.2*21.1
焦距:14mm 感应距离: 12-15m
感应角度: 360° 4 颗 PIR吸顶 3m



型号:YY-B2010 焦距:10mm
尺寸: $\varnothing$ 23.4*13感应角度: 360°
感应距离: 半径 5m



型号:SB-S19焦距:9mm
感应角度: 360° 尺寸: $\varnothing$ 18
感应距离: 直径 8m



型号:29207感应距离: 8m
尺寸: $\varnothing$ 29.4*7.53
焦距:8mm感应角度: 120°



型号:4424焦距: 24mm
尺寸: $\varnothing$ 51.5*23感应角度: 360°
感应距离: 半径 12m



型号:SR-001 尺寸: $\varnothing$ 44*15.09
焦距: 15mm感应角度: 360°
感应距离: 半径 8m




型号:TZ-360 焦距:13.58mm
尺寸: $\varnothing$ 50*25感应角度: 360°
感应距离: 半径 10m
吸顶 2.5m, 3 颗 PIR



型号:7906-20-G3 尺寸:Ø52.5
焦距:19.6mm 感应角度:360°
感应距离:半径 5.9m



型号:8120-5CL 尺寸:Ø13*8.65
感应角度:360° 焦距:6mm
感应距离:直径 8m



型号:HM-CM0.5-45
尺寸:Ø26.75 感应距离:直径18m
焦距:12.7mm 感应角度:360°



型号:8605-12 尺寸:Ø43.8
焦距:17mm 感应角度:360°
感应距离:直径 10m



型号:YY-D54-25 焦距:25.4mm
尺寸:Ø63.6 感应角度:360°
感应距离:半径 3.7m



型号:023101 焦距:10.5mm
尺寸:Ø 23.4*11.5
感应角度:120° 感应距离:10m



型号:8003-2F 焦距:10.5mm
尺寸:Ø 25.3*12.5
感应角度:120° 感应距离:12m



型号:8002-2W 焦距:10.5mm
尺寸:23.3*23.3*14.7
感应角度:120° 感应距离:12m



型号:8002-2 焦距:10.5mm
尺寸:23.3*23.3*14.8
感应角度:110° 感应距离:11m



型号:8002-1(孔) 焦距:10.5mm
尺寸:23.5*23.5*19
感应角度:120° 感应距离:10m



型号:023100 感应距离:10m
尺寸:23.4*23.4*18.9
焦距:10.5mm 感应角度:120°



型号:024120 焦距:12mm
尺寸:23.5*23.5*17.2
感应角度:120° 感应距离:12m



型号:028140 感应角度:120°
尺寸:Ø 28*15
焦距:15mm 感应距离:10m



型号:8308-8 感应角度:360°
尺寸:10.4*9.5 焦距:4mm
感应距离:半径 5m



型号:YY-1201 尺寸:Ø17
焦距:8mm 感应距离:7m
感应角度:360° 吸顶 4m



型号:YY-1204 吸顶 10m
尺寸:Ø33.6 感应角度:360°
焦距:18mm 感应距离:14m



型号:YY-1202 尺寸:Ø22.4
焦距:11mm 感应距离:10m
感应角度:360° 吸顶 6m



型号:YY-D36
尺寸:Ø36*7.2 感应角度:360°
焦距:17.5mm 感应距离:10m




型号:13120-S19
尺寸:Ø14 感应角度:120°
焦距:6mm 感应距离:6m



型号:8603-6G
尺寸:Ø38.8 感应角度:360°
焦距:17.5mm 感应距离:14m




型号:YY-D52焦距:17mm
尺寸:Ø52 感应角度: 240°
感应距离: 17m 备注:用于泛光灯



型号：

焦距： mm
感应角度： °
感应距离： m



型号: 8309-1
尺寸: 46.5*25.2
焦距: 20.6
感应角度: 110 °
感应距离: 12m





感应距离：12m

